


TECHNICAL DATA SHEET



**Wax Paraffin Based Form
Release Agent.**



DESCRIPTION

SB7® Easy Release is a single component form release agent based on wax paraffin, which allows concrete during pouring to slide away easily allowing air to escape. **SB7® Easy Release** ensures high quality, fair-faced and stain free concrete with an excellent surface finish.

APPLICATIONS

SB7® Easy Release is a release agent for wooden, plastic and metal molds. It is ideal for use in concrete precast plants. **SB7® Easy Release** provides easy form stripping, produces concrete surfaces that are stain-free, smooth and non-dusting.

ADVANTAGES

- Helps prevent blowholes, pinholes, bug holes and air voids.
- Ready-to-use, easy to work.
- Non-staining.
- Water based.
- Can be used with white cement.

PACKAGING

SB7® Easy Release is supplied in, 10 liters, 20 liters, 200 liters.

METHOD OF USE

SUBSTRATE PREPARATION

Formwork must be cleaned of surface deposits, rust, concrete, oil, or other materials. Inadequate cleaning may lead to surface blemishes.

APPLICATION

SB7® Easy Release can be applied using roller, brush, sponge, or spray application. (Non-absorbent surfaces require a single application). New, unsealed, timber surfaces may need recoating if the first application is absorbed into the timber. If the product is over applied, excess material should be drained and then carefully removed using a sponge or a cloth. Drying time of **SB7® Easy Release** is 2 - 4 hours, depending on application temperature and type of mold used.

TECHNICAL PROPERTIES

Appearance: Cream White

Specific gravity: 1.0 ±0.05

STORAGE

Store in a dry area out of direct sunlight between 5°C and 35°C.

COVERAGE

30 to 60 m²/liter depending on formwork types and type of application.

SHELF LIFE

SB7® Easy Release has a shelf life of 9 months from date of manufacture, if stored in proper conditions in un-opened drums. If these conditions are exceeded, the S.S. Technical Department should be contacted for advice.

CAUTIONS HEALTH AND SAFETY

SB7® Easy Release is not classified as hazardous. material. In case of accidental splashes to the eyes, rinse with clean water and seek medical advice. Suitable protective gloves and goggles should be worn. For further information refer to the Material Safety Data Sheet. **SB7® Easy Release** is nonflammable.

DISCLAIMER

While the company guarantees its products against defective materials, the use and application of these products are made without guarantee since the conditions of their application are beyond its control. It is recommended to verify with the company that the product is suitable for the intended use, and that this Data Sheet version is the latest one. The company may modify it without prior notice . Technical characteristics are listed for guidance only. For more information, please contact the company's office in your location.

FOR TECHNICAL SERVICES

VELOCITY® green energy, LLC.
P.O. Box16506, Irvine CA 92623, United States
Contact us at: **(949) 468-2742**
(888) 508-6191



SCAN HERE



End of Technical Data Sheet